

Lámparas halógenas de bajo voltaje sin reflector



Áreas de aplicación


- Lámparas para luminarias especiales
- Fibra óptica médica (HLX)


Beneficios del producto

- Comparado con lámparas estándar, hasta un 10% más de eficacia lumínica (HLX)
- Luz instantánea (HLX)


Características del producto

- Gas xenón en lugar de criptón como gas de llenado (versiones XENOPHOT HLX)
- Flujo luminoso superior hasta en un 10 % con el mismo consumo de energía (versiones XENOPHOT HLX)
- Lámpara de bajo voltaje halógeno con o sin reflector
- Regulable (HLX)







383463_HALOGEN NIEDERVOLT LAMPE PG 22




486997_LOW-VOLTAGE HALOGEN LAMP 64250




383896_LOW-VOLTAGE HALOGEN LAMP 62138




384396_LOW-VOLTAGE HALOGEN LAMP 64611




487001_LOW-VOLTAGE HALOGEN LAMP 64640




384405_LOW-VOLTAGE HALOGEN LAMP 64628



384421_LOW-VOLTAGE HALOGEN LAMP 64668



384398_LOW-VOLTAGE HALOGEN LAMP 64643



486995_LOW-VOLTAGE HALOGEN LAMP 62139

Hoja de datos gama de productos

Datos técnicos

Descripción del producto	Información de producto	Datos eléctricos		Datos Fotométricos		Dimensiones y peso	
	Referencia para pedido	Tensión nominal	Potencia nominal	Temperatura de color	Flujo luminoso nominal	Diámetro	Largo
64222 10 W 6 V	64222 10W 6V PG	6 V	1000 W	3050 K	150 lm	9 mm	440 mm
64223 10 W 6 V	64223 M/43 10W	6 V	1000 W	2900 K	150 lm	9 mm	380 mm
64225 10 W 6 V	64225	6 V	1000 W	3200 K	200 lm	95 mm	310 mm
64250 HLX	64250 HLX	6 V	2000 W	3350 K	460 lm	9 mm	310 mm
64251 HLX	64251 HLX	6 V	2000 W	3350 K	460 lm	9 mm	400 mm
64265 HLX	64265 HLX	6 V	3000 W	3200 K	765 lm	9 mm	310 mm
64275 AX	64275 AX 35W 6V	6 V	3500 W	3350 K	755 lm	9 mm	350 mm
64258 20 W 12 V	64258 20W 12V G	120 V	2000 W	3050 K	335 lm	95 mm	305 mm
64260 30 W 12 V	64260 30W 12V P	120 V	3000 W	3300 K	800 lm	9 mm	400 mm
64261 HLX	64261 30W 12V G	120 V	3000 W	3300 K	750 lm	115 mm	440 mm
64602 50 W 12 V	64602 50W 12V G	120 V	5000 W	3050 K	1000 lm	115 mm	440 mm
64610 HLX	64610 HLX	120 V	5000 W	3350 K	1600 lm	115 mm	440 mm
64611 HLX	64611 HLX	120 V	5000 W	3250 K	1350 lm	115 mm	440 mm
64609 HLX	64609 HLX	120 V	5000 W	3350 K		115 mm	480 mm
64604 50 W 12 V	64604 50W 12V G	120 V	5000 W	3000 K		1200 mm	420 mm
62138 HLX	62138 HLX	120 V	10000 W	3350 K	3050 lm	115 mm	370 mm
64621 HLX	64621 HLX	120 V	10000 W	3300 K	2880 lm	115 mm	480 mm
64623 HLX	64623 HLX	120 V	10000 W	3300 K	2800 lm	115 mm	440 mm
64625 HLX	64625 HLX	120 V	10000 W	3450 K	3600 lm	115 mm	440 mm
64628 100 W 12 V	64628 A/261 FDT	120 V	10000 W	3500 K	3420 lm	130 mm	570 mm
64626 HLX ¹⁾	64626 HLX	120 V	10000 W	3450 K	3500 lm	115 mm	480 mm
64291 XIR	64291	228 V	4000 W	3150 K	1200 lm	120 mm	440 mm
64650 50 W 22,8 V	64650 50W 22.8V	228 V	5000 W	3100 K	1150 lm	130 mm	440 mm
64668 XIR	64668	228 V	8000 W	3250 K	3050 lm	1400 mm	440 mm
64292 XIR	64292	228 V	15000 W	3250 K	6000 lm	140 mm	440 mm
64638 HLX	64638 HLX	240 V	10000 W	3100 K	2970 lm	130 mm	500 mm
64647 120 W 24 V	64647 120W 24V	240 V	12000 W		3600 lm	130 mm	440 mm
64640 HLX	64640 HLX	240 V	15000 W	3450 K	6000 lm	115 mm	500 mm
64641 HLX	64641 HLX	240 V	15000 W			115 mm	500 mm
64642 HLX	64642 HLX	240 V	15000 W	3450 K	5000 lm	115 mm	500 mm

Hoja de datos gama de productos

	Información de producto	Datos eléctricos		Datos Fotométricos		Dimensiones y peso	
Descripción del producto	Referencia para pedido	Tensión nominal	Potencia nominal	Temperatura de color	Flujo luminoso nominal	Diámetro	Largo
64643 150 W 24 V	64643 FDS 150W	240 V	15000 W	3450 K	5000 lm	150 mm	570 mm
64655 HLX	64655 HLX	240 V	25000 W	3550 K	10000 lm	125 mm	550 mm
64657 HLX	64657 HLX	240 V	25000 W		9000 lm	135 mm	550 mm
64656 HLX	64656 HLX	240 V	27500 W	3550 K	10000 lm	135 mm	550 mm
64654 HLX ¹⁾	64654 HLX	240 V	25000 W	3450 K	9000 lm	135 mm	680 mm
64663 HLX	64663 HLX	360 V	40000 W	3250 K	16200 lm	150 mm	600 mm
64664 HLX	64664 HLX	360 V	40000 W	3500 K		180 mm	570 mm
64665 HLX	64665 HLX	360 V	40000 W	3300 K	12800 lm	180 mm	600 mm
64633 HLX	64633 HLX	150 V	15000 W	3450 K	5600 lm	115 mm	440 mm
62139 HLX	62139 HLX	128 V	15000 W			130 mm	500 mm
-	220T4Q2P PF 220W	220 V	22000 W	3250 K	6200 lm	1270 mm	660 mm

	Duración de vida	Datos adicionales del producto		Capacidades	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Descripción del producto	Duración	Casquillo (denominación estándar)	Diámetro mín. del envoltorio de la lámp.	Posición de quemado	Date of Declaration
64222 10 W 6 V	300 h	PG22	9 mm	Universal	29-02-2024
64223 10 W 6 V	300 h	G4	9 mm	Universal	29-02-2024
64225 10 W 6 V	100 h	G4	9 mm	s 90	29-02-2024
64250 HLX	100 h	G4	9 mm	Universal	29-02-2024
64251 HLX	100 h	PG22	9 mm	Universal	29-02-2024
64265 HLX	100 h	G4	9 mm	Universal	29-02-2024
64275 AX	50 h	G4	9 mm	Universal	29-02-2024
64258 20 W 12 V	2000 h	G4	9 mm	s 90	29-02-2024
64260 30 W 12 V	50 h	PG22	9 mm	Universal	29-02-2024
64261 HLX	50 h	G6.35	12 mm	Universal	29-02-2024
64602 50 W 12 V	1100 h	G6.35	12 mm	s 90	29-02-2024
64610 HLX	50 h	G6.35	12 mm	s 90	29-02-2024
64611 HLX	100 h	G6.35	12 mm	s 90	29-02-2024
64609 HLX	50 h	PG22	12 mm	s 90	29-02-2024
64604 50 W 12 V	2000 h	GY6.35	12 mm	hs30	29-02-2024
62138 HLX	50 h	G6.35	12 mm	p90/p15	29-02-2024
64621 HLX	2000 h	PG22	12 mm	s 90	29-02-2024
64623 HLX	2000 h	GY6.35	12 mm	s 90	05-04-2024
64625 HLX	50 h	GY6.35	12 mm	s 90	29-02-2024
64628 100 W 12 V	50 h	GY9.5	12 mm	s 90	29-02-2024
64626 HLX ¹⁾	50 h	PG22	12 mm	s 90	29-02-2024

Hoja de datos gama de productos

	Duración de vida	Datos adicionales del producto		Capacidades	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Descripción del producto	Duración	Casquillo (denominación estándar)	Diámetro mín. del envoltente de la lámp.	Posición de quemado	Date of Declaration
64291 XIR	800 h	G6.35	12 mm	h90	29-02-2024
64650 50 W 22,8 V	1200 h	G6.35	13 mm	Universal	29-02-2024
64668 XIR	400 h	G6.35	14 mm	h90	29-02-2024
64292 XIR	600 h	G6.35	14 mm	s 90	29-02-2024
64638 HLX	300 h	G6.35	14 mm	Universal	29-02-2024
64647 120 W 24 V	700 h	G6.35	14 mm	Universal	29-02-2024
64640 HLX	50 h	G6.35	11 mm	s 90	29-02-2024
64641 HLX	200 h	G6.35	14 mm	s 135	29-02-2024
64642 HLX	300 h	G6.35	11 mm	s 90	29-02-2024
64643 150 W 24 V	100 h	GY9.5	14 mm	s 90	04-04-2024
64655 HLX	50 h	G6.35	14 mm	s 90	29-02-2024
64657 HLX	300 h	G6.35	14 mm	s 90	29-02-2024
64656 HLX	75 h	G6.35	14 mm	s 90	29-02-2024
64654 HLX ¹⁾	300 h	GY9.5	15 mm	s 90	29-02-2024
64663 HLX	50 h	G6.35	16 mm	s 90	29-02-2024
64664 HLX	150 h	G6.35	15 mm	s 105	29-02-2024
64665 HLX	300 h	G6.35	18 mm	s 90	29-02-2024
64633 HLX	50 h	G6.35	12 mm	s 90	29-02-2024
62139 HLX	300 h	G6.35	11 mm	h90	29-02-2024
-	150 h	GY9.5	13 mm	s 90	29-02-2024

				Categorías específicas del país
Descripción del producto	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database	LIF
64222 10 W 6 V	4050300327273 4008321074140	No declarable substances contained	No declarable substances contained	
64223 10 W 6 V	4008321107039	No declarable substances contained	No declarable substances contained	M/43
64225 10 W 6 V	4050300006758 4055462168290	No declarable substances contained	In work	M/29
64250 HLX	4050300012407 4055462168269	No declarable substances contained	In work	M/30
64251 HLX	4050300338316 4050300582290	No declarable substances contained	In work	
64265 HLX	4008321107053 4055462167620	No declarable substances contained	In work	
64275 AX	4050300258690	No declarable substances contained	No declarable substances contained	M/137

Hoja de datos gama de productos

				Categorías específicas del país
Descripción del producto	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database	LIF
64258 20 W 12 V	4050300285153 4008321136336 4008321644794 4008321659408 4052899152717 4062172404891 4062172404877	No declarable substances contained	In work	
64260 30 W 12 V	4050300099798 4008321074164	No declarable substances contained	No declarable substances contained	M/185
64261 HLX	4050300220529	No declarable substances contained	No declarable substances contained	M/130
64602 50 W 12 V	4008321107077	No declarable substances contained	No declarable substances contained	M/134
64610 HLX	4050300021058 4050300006697 4008321182821 4055462168207	No declarable substances contained	In work	A1/220
64611 HLX	4008321107091	No declarable substances contained	No declarable substances contained	
64609 HLX	4008321114532		In work	
64604 50 W 12 V	4050300569093	No declarable substances contained	No declarable substances contained	
62138 HLX	4050300242958	No declarable substances contained	No declarable substances contained	
64621 HLX	4050300535531	No declarable substances contained	No declarable substances contained	
64623 HLX	4050300012018 4008321037213	No declarable substances contained	In work	M/28
64625 HLX	4050300006703	No declarable substances contained	No declarable substances contained	A1/215
64628 100 W 12 V	4008321099549	No declarable substances contained	No declarable substances contained	A1/261
64626 HLX ¹⁾	4050300006765 4008321819963	No declarable substances contained	No declarable substances contained	A1/45
64291 XIR	4008321330550	No declarable substances contained	No declarable substances contained	
64650 50 W 22,8 V	4008321107138	No declarable substances contained	No declarable substances contained	
64668 XIR	4008321331182	No declarable substances contained	No declarable substances contained	
64292 XIR	4008321330598	No declarable substances contained	No declarable substances contained	
64638 HLX	4050300283050	No declarable substances contained	No declarable substances contained	
64647 120 W 24 V	4008321107114 8711500428264	No declarable substances contained	In work	

Hoja de datos gama de productos

				Categorías específicas del país
Descripción del producto	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database	LIF
64640 HLX	4050300006727 4008321191434 4055462167682 4055462168238	No declarable substances contained	In work	A1/216
64641 HLX	4050300048260	No declarable substances contained	No declarable substances contained	
64642 HLX	4050300012025 4008321173867 4008321333865	No declarable substances contained	In work	M/184
64643 150 W 24 V	4008321099648	No declarable substances contained	No declarable substances contained	A1/262
64655 HLX	4050300006734 4055462167743	No declarable substances contained	In work	A1/223
64657 HLX	4050300012001 4055462167552	No declarable substances contained	In work	M/33
64656 HLX	4050300023120	No declarable substances contained	No declarable substances contained	
64654 HLX ¹⁾	4008321131973 4008321241399	No declarable substances contained	No declarable substances contained	
64663 HLX	4050300900490 4050300006741	No declarable substances contained	In work	A1/239
64664 HLX	4008321241474	No declarable substances contained	No declarable substances contained	A1/270
64665 HLX	4008321099761 4008321833815	No declarable substances contained	In work	A1/166
64633 HLX	4050300006710 4055462167910	No declarable substances contained	In work	A1/234
62139 HLX	4008321746399 4008321746276	No declarable substances contained	In work	
-	0046135589393		In work	

Descripción del producto	Código ANSI
64222 10 W 6 V	
64223 10 W 6 V	
64225 10 W 6 V	ESA/FHS
64250 HLX	ESB
64251 HLX	
64265 HLX	
64275 AX	
64258 20 W 12 V	
64260 30 W 12 V	
64261 HLX	
64602 50 W 12 V	
64610 HLX	BRL
64611 HLX	
64609 HLX	

Hoja de datos gama de productos

Descripción del producto	Código ANSI
64604 50 W 12 V	
62138 HLX	
64621 HLX	
64623 HLX	EVA
64625 HLX	FCR
64628 100 W 12 V	FDT
64626 HLX ¹⁾	EHE
64291 XIR	
64650 50 W 22,8 V	
64668 XIR	
64292 XIR	
64638 HLX	
64647 120 W 24 V	
64640 HLX	FCS
64641 HLX	
64642 HLX	FDV
64643 150 W 24 V	FDS
64655 HLX	EHJ
64657 HLX	EVC
64656 HLX	FNT
64654 HLX ¹⁾	
64663 HLX	EVD
64664 HLX	
64665 HLX	
64633 HLX	BRJ
62139 HLX	
-	

¹⁾ A petición

Hoja de datos gama de productos

Consejos de aplicación

Para más información detallada sobre la aplicación y gráficos vea la hoja de datos del producto.

Aviso

Sujeto a cambios sin aviso. Excepto errores y omisiones. Asegúrese de utilizar la emisión más reciente.