

Lok-it! 780 W 80 V/32/P50

Lok-it! | Lámparas halógenas

Beneficios del producto

- Uso óptimo de la luz generada en el foco



Datos técnicos

Información de producto

Referencia para pedido	LOK-IT! 780W/32
------------------------	-----------------

Datos eléctricos

Tensión nominal	800 V
Potencia nominal	78000 W

Datos Fotométricos

Temperatura de color	3250 K
Índice de reproducción cromática Ra	100

Dimensiones y peso

Diámetro	2200 mm
Largo	1080 mm
Long. del centro luminoso (LCL)	65,0 mm

Capacidades

Posición de quemado	Universal
---------------------	-----------

Categorías específicas del país

Código ANSI	Other
Referencia para pedido	LOK-IT! 780W/32

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321586711
Declaration No. in SCIP database	In work

Hoja de datos de producto

Instrucciones de seguridad

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

Logistical Data

Código del producto	Descripción del producto	Unidad de embalaje (Piezas/unidad)	Dimensiones (largo x ancho x alto)	Volúmen	Peso bruto
4008321586711	Lok-it! 780 W 80 V/32/P50	Estuche de cartón 1	70 mm x 70 mm x 160 mm	0.78 dm ³	168.00 g
4008321586728	Lok-it! 780 W 80 V/32/P50	Embalaje de envío 12	294 mm x 222 mm x 175 mm	11.45 dm ³	2220.81 g

El código del producto mencionado describe la unidad más pequeña de la cantidad que se puede pedir. Una unidad de envío puede contener uno o más productos individuales. Al cursar un pedido, introduzca la cantidad de la unidad de envío o su múltiple.

Aviso

Sujeto a cambios sin aviso. Excepto errores y omisiones. Asegúrese de utilizar la emisión más reciente.