PURITEC HNS UV-C

UV-C lamps for purification



Áreas de aplicación

- Desinfección eficiente del aire, agua y superficies

Beneficios del producto

- Desinfección efectiva y respetuosa con el medio ambiente sin sustancias químicas
- Bajo contenido en mercurio
- Larga vida útil gracias al revestimiento específico
- Sin ozono

Características del producto

- Onda dominante: 254 nm (versión OFR)









© 2024, OSRAM GmbH. Reservado todos los derechos



325768_HNS 455




325771_HNS S



325770_HNS SE



325716_HNS L 18W 2G11



325769_HNS L

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

Datos técnicos

	Información de producto	Datos eléctricos				Datos Fotométricos
Descripción del producto	**Referencia para pedido**	**Tensión nominal**	**Tensión de funcionamiento**	**Tensión de construcción**	**Potencia nominal**	**Intensidad luminosa**
HNS 4 W G5	HNS 4W G5	29,0 V	29 V	29,00 V	4,00 W	7800 cd
HNS S 5 W G23 [1)]	HNS S 5W 35V G2	35,0 V	35 V	35,00 V	5,00 W	7800 cd
HNS 6 W G5	HNS 6W G5	42,0 V	42 V	42,00 V	6,00 W	7800 cd
HNS S/E 7 W 2G7	HNS S/E 7W 37V	37,0 V	37 V	37,00 V	6,50 W	7800 cd
HNS S 7 W G23 [1)]	GCF7DSG2 3SEOF 1	46,0 V	46 V	46,00 V	7,00 W	7800 cd
HNS 8W G5 G5	HNS 8W 56V G5	56,0 V	56 V	56,00 V	7,00 W	7800 cd
HNS S/E 9 W 2G7	HNS S/E 9W 48V	48,0 V	60 V	48,00 V	8,00 W	7800 cd
HNS S 9 W G23 [1)]	GCF9DSG2 3SEOF 1	60,0 V	60 V	60,00 V	9,00 W	7800 cd
HNS 11 W G5	HNS 11W G5	33,0 V		33,00 V	11,00 W	7800 cd
HNS S/E 11 W 2G7	HNS S/E 11W 75V	75,0 V	75 V	75,00 V	11,00 W	7800 cd
HNS S 11 W G23 [1)]	GCF11DSG 23SEOF	91,0 V	91 V	91,00 V	11,00 W	7800 cd
HNS S 13 W GX23	HNS S 13W 59V G		95 V		13,40 W	7800 cd
HNS 15 W G13 OFR	HNS 15W G13		90 V		14,70 W	7800 cd
HNS 15 W G13	HNS 15W G13	55,0 V	55 V	55,00 V	15,00 W	7800 cd
HNS 15 W G13	HNS 15W OFR		75 V		15,00 W	7800 cd
HNS 16 W G5	HNS 16W G5	43,0 V	75 V	43,00 V	16,00 W	7800 cd
HNS L 18 W 2G11	HNS-L 18W 58V 2	58,0 V	58 V	58,00 V	18,00 W	7800 cd
HNS L 24 W 2G11	HNS-L 24W 87V 2	87,0 V	87 V	87,00 V	24,00 W	7800 cd
HNS 25 W G13	HNS 25W G13	46,0 V	46 V	46,00 V	25,00 W	7800 cd
HNS 30 W G13	HNS 30W G13	96,0 V	96 V	96,00 V	30,00 W	7800 cd
HNS 30 W G13	HNS 30W OFR		85 V		30,00 W	7800 cd
HNS 36 W G13	HNS 36W G13	103 V	103 V	103,00 V	36,00 W	7800 cd

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

	Información de producto	Datos eléctricos				Datos Fotométricos
Descripción del producto	**Referencia para pedido**	**Tensión nominal**	**Tensión de funcionamiento**	**Tensión de construcción**	**Potencia nominal**	**Intensidad luminosa**
HNS L 36 W 2G11	HNS-L 36W 106V	106 V	106 V	106,00 V	36,00 W	7800 cd
HNS 55 W G13	HNS 55W 83V G13	83,0 V	83 V	83,00 V	55,00 W	7800 cd
HNS L 55 W 2G11	HNS-L 55W 101V	101 V	101 V	101,00 V	55,00 W	7800 cd
HNS 55 W G13	HNS 55W OFR		102 V		55,00 W	7800 cd
HNS L 60 W 2G11	HNS-L 60W 82V 2	82,0 V	82 V	82,00 V	60,00 W	7800 cd
HNS L 95 W 2G11	HNS-L 95W 115V	115 V	115 V	115,00 V	95,00 W	7800 cd

		Dimensiones y peso		Colores y materiales	Duración de vida	Datos adicionales del producto
Descripción del producto	**Radiación UVC 200...280 nm**	**Diámetro**	**Largo**	**Color del producto**	**Duración**	**Casquillo (denominación estándar)**
HNS 4 W G5	0.9 W	16,0 mm	136,0 mm	-	6000 h	G5
HNS S 5 W G23 [1)]	1.3 W	28,0 mm	108,0 mm	-	8000 h	G23
HNS 6 W G5	1.7 W	16,0 mm	212,0 mm	-	9000 h	G5
HNS S/E 7 W 2G7	1.9 W	28,0 mm	112,0 mm	-	8000 h	2G7
HNS S 7 W G23 [1)]	1.8 W	28,0 mm	135,5 mm	-	8000 h	G23
HNS 8W G5 G5	2.0 W	16,0 mm	288,0 mm	-	9000 h	G5
HNS S/E 9 W 2G7	2.5 W	28,0 mm	142,0 mm	-	8000 h	2G7
HNS S 9 W G23 [1)]	2.5 W	28,0 mm	165,5 mm	-	8000 h	G23
HNS 11 W G5	2.5 W	16,0 mm	212,0 mm	-	9000 h	G5
HNS S/E 11 W 2G7	3.6 W	28,0 mm	212,0 mm	-	8000 h	2G7
HNS S 11 W G23 [1)]	3.0 W	28,0 mm	235,5 mm	-	8000 h	G23
HNS S 13 W GX23	3.4 W	28,0 mm	179,0 mm	-	8000 h	GX23
HNS 15 W G13 OFR	4.0 W	26,0 mm	436,0 mm	-	8000 h	G13
HNS 15 W G13	4.9 W	26,0 mm	438,0 mm	-	9000 h	G13
HNS 15 W G13	4.9 W	26,0 mm	438,0 mm	-	9000 h	G13
HNS 16 W G5	4.0 W	16,0 mm	288,0 mm	-	9000 h	G5
HNS L 18 W 2G11	5.5 W	40,0 mm	214,0 mm	-	9000 h	2G11
HNS L 24 W 2G11	7.3 W	40,0 mm	314,5 mm	-	9000 h	2G11
HNS 25 W G13	6.9 W	26,0 mm	438,0 mm	-	9000 h	G13
HNS 30 W G13	12 W	26,0 mm	895,0 mm	-	9000 h	G13
HNS 30 W G13	12 W	26,0 mm	895,0 mm	-	9000 h	G13
HNS 36 W G13	15 W	26,0 mm	1200 mm	-	9000 h	G13
HNS L 36 W 2G11	10.8 W	40,0 mm	408,0 mm	-	9000 h	2G11
HNS 55 W G13	18.0 W	26,0 mm	895,0 mm	-	9000 h	G13
HNS L 55 W 2G11	17 W	40,0 mm	533,0 mm	-	9000 h	2G11

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

		Dimensiones y peso		Colores y materiales	Duración de vida	Datos adicionales del producto
Descripción del producto	**Radiación UVC 200...280 nm**	**Diámetro**	**Largo**	**Color del producto**	**Duración**	**Casquillo (denominación estándar)**
HNS 55 W G13	18.0 W	26,0 mm	895,0 mm	-	9000 h	G13
HNS L 60 W 2G11	19 W	40,0 mm	408,0 mm	-	9000 h	2G11
HNS L 95 W 2G11	27 W	40,0 mm	533,0 mm	-	9000 h	2G11

	Capacidades	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Descripción del producto	**Posición de quemado**	**Date of Declaration**	**Primary Article Identifier**	**Candidate List Substance 1**
HNS 4 W G5	Universal	05-03-2024	4008321378316 | 4008321473530 | 4062172394543	Lead
HNS S 5 W G23 [1)]	Universal	05-03-2024	4008321229946 | 4008321516251	Lead
HNS 6 W G5	Universal	05-03-2024	4008321378330 | 4008321472052 | 4062172394574	Lead
HNS S/E 7 W 2G7	Universal	05-03-2024	4008321383891	Lead
HNS S 7 W G23 [1)]	Universal	05-03-2024	4050300941202 | 4008321516237	Lead
HNS 8W G5 G5	Universal	06-03-2024	4008321378385 | 4008321484901 | 4062172394604	Lead
HNS S/E 9 W 2G7	Universal	05-03-2024	4008321384911	Lead
HNS S 9 W G23 [1)]	Universal	05-03-2024	4050300941226 | 4008321516244	Lead
HNS 11 W G5	Universal	06-03-2024	4008321468796 | 4006584926510 | 4052899984554 | 4062172394659	Lead
HNS S/E 11 W 2G7	Universal	05-03-2024	4008321384935	Lead
HNS S 11 W G23 [1)]	Universal	05-03-2024	4050300941240 | 4008321516268	Lead
HNS S 13 W GX23	Universal	06-03-2024	4052899040410	Lead
HNS 15 W G13 OFR	Universal	05-03-2024	4008321054227	
HNS 15 W G13	Universal	06-03-2024	4008321398826 | 4008321770240 | 4008321770271	Lead
HNS 15 W G13	Universal	19-01-2022	4050300932033	
HNS 16 W G5	Universal	05-03-2024	4008321620774 | 4062172394680	Lead
HNS L 18 W 2G11	s 180	05-03-2024	4008321220431 | 4008321516183	Lead
HNS L 24 W 2G11	s 180	05-03-2024	4008321220561 | 4008321516176	Lead

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

	Capacidades	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Descripción del producto	**Posición de quemado**	**Date of Declaration**	**Primary Article Identifier**	**Candidate List Substance 1**
HNS 25 W G13	Universal	06-03-2024	4008321398857 | 4052899083905 | 4052899083851 | 4052899469594	Lead
HNS 30 W G13	Universal	06-03-2024	4008321398888 | 4008321770301	Lead
HNS 30 W G13	Universal	19-01-2022	4050300932040	
HNS 36 W G13	Universal	06-03-2024	4008321679482 | 4052899084049 | 4052899084018 | 4052899589872	Lead
HNS L 36 W 2G11	s 180	05-03-2024	4008321220684 | 4008321515773	Lead
HNS 55 W G13	Universal	06-03-2024	4052899083981 | 4052899083936	Lead
HNS L 55 W 2G11	s 180	06-03-2024	4052899012394	Lead
HNS 55 W G13	Universal	19-01-2022	4050300932057	
HNS L 60 W 2G11	s 180	06-03-2024	4052899012462	Lead
HNS L 95 W 2G11	s 180	06-03-2024	4052899012509	Lead

Descripción del producto	**CAS No. of substance 1**	**Safe Use Instruction**	**Declaration No. in SCIP database**
HNS 4 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	9629ae32-1ea2-49f0-a16c-a3c5c1a5eda3
HNS S 5 W G23 [1)]	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c7e31123-61fb-4866-8ae5-ed7de1ea68ed
HNS 6 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1384e099-d808-4f3f-b32f-2a2e0fc61314
HNS S/E 7 W 2G7	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	f8f7d61b-d913-4bcc-93c4-aec117a1c20a

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

Descripción del producto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
HNS S 7 W G23 [1)]	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	670ca33b-59b5-48a3-9280-3d81dad7cb7d
HNS 8W G5 G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ddb742fd-df4d-4156-ab9d-c49f4e7f9bcd
HNS S/E 9 W 2G7	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1f58acef-8dc5-497c-bf0c-a64e11df09cd
HNS S 9 W G23 [1)]	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	17eeb121-e115-4a9a-9f82-1e2bdbd76043
HNS 11 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	CCAD55A7-CC5E-4FC4-8E66-249322F356CD | | a4b7c793-99b3-4615-9ec5-b40fadd330b8
HNS S/E 11 W 2G7	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	9fcb620a-b8d7-4c8f-aae5-b0fbd67a6e4c
HNS S 11 W G23 [1)]	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ac57a5ee-07a1-4bd0-8148-8a274eccafcb
HNS S 13 W GX23	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1590cdcb-2c9f-4eac-9176-fae5b4038478
HNS 15 W G13 OFR			In work

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

Descripción del producto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
HNS 15 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	442875DF-DCDC-44CB-AEF9-F5436B886121 | 96EFBFEB-8770-4553-99E4-6FA5F776148A | c4e92f04-a849-43d2-8176-69b5704dc3b8
HNS 15 W G13			In work
HNS 16 W G5	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	AC85F80F-B583-4F45-BE47-8240AA8AB8AA
HNS L 18 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	a3538943-4777-466f-a760-b1ffa32a9da4
HNS L 24 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	75c6667e-67b9-4606-a40d-98b7313f320b
HNS 25 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3cb04848-4b74-46d0-82b1-a9394e516b8f | | e32b7393-dbc6-4441-a23b-004ae3b9e4e3
HNS 30 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	331CB7F6-5AE6-4C99-AA71-53C4B13FD145 | 50822a8b-c63b-4ffa-87ed-642706ca1852
HNS 30 W G13			In work
HNS 36 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	eef8a440-9982-4156-9bed-5f2b0d4f47eb | 40609A7C-A22C-446D-9F5C-E9E342B07F10 | fb780142-3370-46b2-aac3-fdb182b410b1

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

Descripción del producto	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
HNS L 36 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	d0f3f32e-ce1f-45c6-ba26-34abeab8994a
HNS 55 W G13	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	bbcb9425-ccd7-4992-a007-5df3cd820581 | 76b4651b-5f2f-4916-8f11-667fba406620
HNS L 55 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	6968a52c-58f7-4147-b1cd-8bfd6fc5c304
HNS 55 W G13			In work
HNS L 60 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	6d62fa70-79ce-4676-a92b-ed270fde7c7d
HNS L 95 W 2G11	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	127f0d8d-f0fc-45d0-87e4-06d76f034902

[1)] Irradiancia UV 253,7 nm medida en una distancia de 1 m en el nivel medio de la lámpara, a 20 °C temperatura ambiente, sin protección. Entre 0,3…3,0 m, la irradiancia es proporcional al cuadrado de la distancia

© 2024, OSRAM GmbH. Reservado todos los derechos

Hoja de datos gama de productos

Instrucciones de seguridad

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

Consejos de aplicación

Para más información detallada sobre la aplicación y gráficos vea la hoja de datos del producto.

Aviso

Sujeto a cambios sin aviso. Excepto errores y omisiones. Asegúrese de utilizar la emisión más reciente.

© 2024, OSRAM GmbH. Reservado todos los derechos